18/07/2013 v1



700


800

## MAR-C3G

No hole installation
Omni directional coverage
Covers global 2G/3G frequencies

If you are constantly on the move the magnetic MAR antenna range is the ultimate solution. Placed on the roof of a vehicle the antenna will grip securely with a tough but removable magnetic base, giving you omnidirectional coverage.


When it comes to removing or re-positioning, it couldn't be easier and you won't be left with any evidence that the antenna was there at all. With the MAR range you no longer need to make holes in your vehicle to fill holes in your coverage.



1000 1100 1200 1300 1400 1500 1600 1700 1800 1900

\* All measurements use a groundplane and 350x350mm with 2m of RG174 cable

## Technical Drawing



Part No.				
		MAR-C3G-2F	MAR-C3G-2SP	
Electrical Data				
Frequency Range (MHz)		805-880, 890-960, 1710-1880, 1850-1990, 1900-2170		
Operational Band		AMPS 850, GSM900, GSM1800, PCS1900 & 3G UMTS		
Peak Gain: Isotropic		2dBi		
Compared to ¼ wave		0dB		
Polarisation			Vertical	
Pattern		Omni-directional		
Impedance		50Ω		
Max Input Power (W)		20		
Mechanical Data				
Dimensions (mm)	Total Height	65 (2.5")		
	Base Height	15 (0.5″)		
	Base Diameter	34 (1.3")		
Operating Temp (°C)		-30°/+70°C (-22°/158°F)		
Material		High Performance PA6/66 + TPE		
Colour		Black		
Mounting Data				
Fixing		Mag	Magnetic mount	
Cable Data				
Туре		RG174	RG174	
Diameter (mm)		2.8 (0.1")	2.8 (0.1")	
Length (m)		2.3 (7'6")	2.3 (7′6″)	
Termination		FME socket*	SMA Plug*	

\*Micro connector patch-leads available



## Panorama Antennas Ltd

Frogmore, London, SW18 1HF, United Kingdom

T: +44 (0)20 8877 4444 F: +44 (0)20 8877 4477

E: sales@panorama-antennas.com www.panorama-antennas.com

Waiver: The data given above is indicative of the performance of the product/s under particular conditions and does not imply a guarantee of performance. These specifications are subject to change without notice. Copyright © Panorama Antennas Ltd. All rights reserved.